

LA15DM REVISION B

MADE IN USA.

2-way sound systems

When describing sound, the general public uses the words "fine and smooth". Some also use the word "earth-shaking". Csp engineers use the word "luxury" to describe LADM sound!

Solid and strong bass, saturated mid to low frequencies, stable median and natural high frequency response are the reasons that LADM is referred to as luxury.

Due to the luxury of LADM, Csp engineers invented an important name to score the acoustic quality. That is "focusy". The use of this name shall provide a quantified data to the appraisal of acoustic products.

Multipurpose is one of LA15DM's features. The use of LAV3 technology combining with the two frequency-halving speaker boxes produced using Csp technology gives a specified receiving power of 500 watts and FOCUSY of 8.

The biggest feature of LA15DM is its strong analytical power at 200Hz-500Hz. It can revert mid to low frequency perfectly to provide saturated and natural sound. Solid and strong low frequency is the basic characteristic of LADM series. LA15DM is of no exception. Its outstanding system integration capability, whether using several LA15DM together or forming frequency-halving with LA18BM, LA15DM will produce the best result. In other words, LA15DM can easily a good sound field and can control it freely.



SPECIFICATIONS:

System Type: 2-way, Full range, bass ported	Drivers: LF (1 x Csp 15LV3) HF (1 x Csp H450)
Frequency Range: 45 Hz - 20 kHz (-10 dB) 50 Hz - 20 kHz (+/-3 dB)	High Frequency Driver Protection: SP DDPJ
Power Capacity: 500 W Continuous 2000 W Peak	Input Connection: Dual Neutrik NL4 in parallel
Recommended Power Amplifier: P.PA Series	Enclosure Hardware: 3/4" MDF wood, UPWEJ black polyurea finish
Sensitivity (1w/1m): 99 dB	Grille: 16 gauge perforated steel, additional powder coated
Maximum Output: 132 dB	Dimensions (H x W x D): 27" x 18.5" x 16.625" 686 mm x 470 mm x 422 mm
Nominal Impedance: 8 Ohms	Weight: 68 lbs (30 kg)
Nominal Dispersion: 70° x 50°	Shipping weight: 74 lbs (33 kg)
Crossover: T5r1	

APPLICATIONS:

Concerts
Live club performance
Club installs
Mobile DJ
Houses of Worship
Live performance stage monitoring
Entertainment

FEATURES:

15" LV3 Technology, Flying version
MHF750J Horn
Multi-angle enclosure designed for use as a front-of-house speaker or a stage monitor
Die-cast aluminum basket
Full-range passive operation or Bi-amplified (optional)
SP DDPJ (Speaker Distortion Dynamic Protection)
UPWEJ (Ultrachrome Protecting wood enclosures) black polyurea finish
Dual Neutrik Speakon in Parallel
pole mount socket
Manufactured with Pride in the United States

Csp Professional
5157 Cliffwood Dr., Montclair, CA 91763 USA
info@csppro.com
All information is Copyright © 2005 Csp